

Appendix B: References

B.1 Literature Citations

- Adams, P.B., C. B. Grimes, J. E. Hightower, S. T. Lindley, and M.L. Moser. 2002. Status Review for North American Green Sturgeon, *Acipenser medirostris*. National Marine Fisheries Service, Southwest Fisheries Science Center, Santa Cruz, CA, 49 pages.
- Anderson, C. D. 2002. Factors affecting colony size, reproductive success, and foraging patterns of double-crested cormorants nesting on East Sand Island in the Columbia River estuary. Masters thesis, Oregon State University, Corvallis, OR, 127 pages.
- Antolos, M. 2002. Breeding and foraging ecology of Caspian terns (*Sterna caspia*) in the Mid-Columbia River: predation on juvenile salmonids and management implications. Masters thesis, Oregon State University, Corvallis, OR, 152 pages.
- Barnhart, R.A. 1986. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest) – steelhead. U.S. Fish and Wildlife Service, Biological Report 82(11.60). U.S. Army Corps of Engineers, TR EL-82-4, 21 pages.
- Bax, N.J., E.O. Salo, and B.P. Snyder. 1980. Salmonid outmigration studies in Hood Canal. Final report, Phase V, January to July 1979. FRI-UW-8010, Fisheries Research Institute, University of Washington, Seattle, WA, 55 pages.
- Bax, N.J. 1983. The early marine migration of juvenile chum salmon (*Oncorhynchus keta*) through Hood Canal – its Variability and Consequences. Ph.d. Dissertation, University of Washington, Seattle, WA.
- Beamer, E.M., J.C. Sartori, and K.A. Larsen. 2000. Skagit Chinook life history study progress report, Number 3. Federal Energy Regulatory Commission Project Number 553, unpublished report, 20 pages.
- Bedard, J., A. Nadeau, and M. Lepage. 1995. Double-crested cormorant culling in the St. Lawrence River estuary. Colonial Waterbirds 18 (Special Publication 1): 78-85.
- Belant, J.L. 1997. Gulls in urban environments: landscape-level management to reduce conflict. Landscape and Urban Planning 38 (1997): 245-258.
- Blackwell, B.F., T.W. Seamans, D.A. Helon, and R.A. Dolbeer. 2000. Early Loss of herring gull clutches after egg oiling. Wildlife Society Bulletin 28(1): 70-75.
- Brown, L.R., P.B. Moyle, and R.M. Yoshiyama. 1994. Historical decline and current status of coho salmon in California. N. Am. J. Fish. Management 14: 237-261.
- Buchanan, D., M. Hanson, and R.M. Hooten. 1997. Status of Oregon's bull trout, distribution, life history, limiting factors, management considerations and status. Oregon Department of Fish and Wildlife, Portland, OR.
- Busby, P.J., T.C. Wainwright, G.J. Bryant, L.J. Lierheimer, R.S. Waples, F.W. Waknitz, and I.V. Lagomarsino. 1996. Status review of west coast steelhead from Washington, Idaho, Oregon, and California. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-NWFSC-27, 261 pages.
- California Department of Fish and Game. 1998. Report to the Fish and Game Commission: A status review of the spring-run Chinook salmon (*Oncorhynchus tshawytscha*) in the Sacramento River Drainage.

- California Department of Fish and Game. 2001. California's Living Marine Resources: A Status Report (ANR Publication #SG01-11).
- Caswell, H. 2001. Matrix population models. Sinauer, Sunderland. Massachusetts, USA.
- Christens, E. and H. Blokpoel. 1991. Operational spraying of white mineral oil to prevent hatching of gull eggs. Wildlife Society Bulletin. 19:423-430.
- Collis, K., S. Adamany, D. D. Roby, D. P. Craig, and D. E. Lyons. 2000. Avian predation on juvenile salmonids in the Lower Columbia River, 1998 Annual Report. Unpublished report prepared for Bonneville Power Administration and U.S. Army Corps of Engineers, 98 pages.
- Collis, K., D.D. Roby, D.P. Craig, B.A. Ryan, R.D. Ledgerwood. 2001. Colonial waterbird predation on juvenile salmonids tagged with passive integrated transponders in the Columbia River estuary: vulnerability of different salmonid species, stocks, and rearing types. Transactions of the American Fisheries Society 130: 385-396.
- Collis, K. D., D. Roby, D. E. Lyons, R. M. Suryan, M. Antolos, S. K. Anderson, A. M. Myers and M. Hawbecker. 2002a. Caspian tern research on the Lower Columbia River, Final 2001 Summary. Prepared for Bonneville Power Administration and the Interagency Caspian Tern Working Group, 35 pages.
- Collis, K. D., D. Roby, D. E. Lyons, M. Antolos, S. K. Anderson, A. M. Myers, and M. Hawbecker. 2002b. Caspian tern research on the Lower Columbia River, Final 2000 Season Summary. Prepared for Bonneville Power Administration and the Interagency Caspian Tern Working Group, 26 pages.
- Collis, K., D. D. Roby, C.W. Thompson, D.E. Lyons, and M. Tirhi. 2002c. Barges as temporary breeding sites for Caspian terns: assessing potential sites for colony restoration. Wildlife Society Bulletin 30(4): 1140-1149.
- Collis, K., D. D. Roby, D. E. Lyons, R. M. Suryan, M. Antolos, S. K. Anderson, A. M. Myers and M. Hawbecker. 2003a. Caspian tern research on the Lower Columbia River, Final 2002 Season Summary. Prepared for Bonneville Power Administration and the Interagency Caspian Tern Working Group, 16 pages.
- Collis, K., D. D. Roby, C. Couch, G. Dorsey, K. Fischer, D. E. Lyons, A. M. Myers, S. K. Nelson, R. M. Suryan, A. Evans, and M. Hawbecker. 2003b. Caspian tern research on the Lower Columbia River, Draft 2003 Season Summary. Prepared for Bonneville Power Administration and the Interagency Caspian Tern Working Group, 38 pages.
- Columbia Bird Research. 2003. Weekly reports from April 28 to July 27, 2003. Internet: www.columbiabirdresearch.org.
- Congleton, J.L., S.K. Davis, and S.R. Foley. 1981. Distribution, abundance and outmigration timing of chum and Chinook salmon fry in the Skagit salt marsh, pages 153-163 in E.L. Brannon and E.O., editors, Salmon and Trout Migratory Behavior Symposium. University of Washington, Seattle, WA.
- Coulson, J.C., N. Duncan, and C. Thomas. 1982. Changes in the breeding biology of the Herring gull (*Larus argentus*) induced by reduction in the size and density of the colony. Journal of Animal Ecology 51: 739-756.
- Craddock, D.R., T.H. Blahm, and W.D. Parente. 1976. Occurrence and utilization of zooplankton by juvenile Chinook salmon in the Lower Columbia River. Transactions of the American Fisheries Society 1:72-76.
- Cuthbert, F.J. and L.R. Wires. 1999. Caspian tern (*Sterna caspia*) in The Birds of North America, No. 403 (A. Poole and F. Gill, eds). The Birds of North America, Inc. Philadelphia, PA.

- Dawley, E. M., R.D. Ledgerwood, T.H. Blahm, C.W. Sims, J.T. Durkin, R.A. Kirn, A.E. Rankis, G.E. Monan, and F.J. Osslander. 1986. Migrational characteristics, biological observations, and relative survival of juvenile salmonids entering the Columbia River estuary, 1966-1983. Final Report to the Bonneville Power Administration, Portland, OR and Northwest and Alaska Fisheries Center, Seattle, WA. 256 pp.
- Emmett, R.L., S.L., Stone, S.A. Hinton, and M.E. Monaco. 1991. Distribution and abundance of fishes and invertebrates in west coast estuaries, Volume II: Species life history summaries. ELMR Rep. No. 8. NOAA/NOS SEA Division, Rockville, MD 329 pages.
- Fischer, K.N. 2004. California Brown pelicans on East Sand Island, Columbia River estuary, 2003. U.S. Geological Survey-Oregon Cooperative Fish and Wildlife Research Unit unpublished report, Corvallis, OR, 13 pages.
- Fresh, K.L., E. Casillas, L. Johnson, and D.L. Bottom. 2003. Role of the estuary in the recovery of Columbia River Basin salmon and steelhead: An evaluation of limiting factors. NOAA Technical Memorandum (Draft), Northwest Fisheries Science Center, Seattle, WA, 116 pages.
- Gill, R.E., Jr., and L.R. Mewaldt. 1983. Pacific Coast Caspian terns: Dynamics of an expanding population. *The Auk* 100: 369-381.
- Glabek, J.H., B.A. Ryan, E.P. Nunnallee, and J.W. Ferguson. 2003. Detection of passive integrated transponder (PIT) tags on piscivorous bird colonies in the Columbia River Basin, 2001. U.S. Army Corps of Engineers unpublished report, Walla Walla, WA, 65 pages.
- Goals Project. 1999. Baylands Ecosystem Habitat Goals. A report of habitat recommendations prepared by the San Francisco Bay Area Wetlands Ecosystem Goals Project. First Reprint. U.S. Environmental Protection Agency, San Francisco, California/ San Francisco Bay Regional Water Quality Control Board, Oakland, CA, 209 pages.
- Goals Project. 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife. Prepared by the San Francisco Bay Area Wetlands Ecosystem Goals Project, P.R. Olofson, editor. San Francisco Bay Regional Water Quality Control Board, Oakland, CA, 408 pages.
- Grant, S., J. Hard, R. Iwamoto, O. Johnson, R. Kope, C. Mahnken, M. Schiewe, W. Waknitz, R. Waples, J. Williams, and J. Helle. 1999. Status review update for chum salmon from Hood Canal summer-run and Columbia River ESUs. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, WA, 27 pages.
- Hayman, R.A., E.M. Beamer, and R.E. McClure. 1996. FY 1995 Skagit River Chinook restoration research. Chinook Restoration Research Progress Report No. 1. Skagit System Cooperative, LaConner, WA, 54 pages.
- Healey, M.C. 1980. Utilization of the Nanaimo River estuary by juvenile Chinook salmon, *Oncorhynchus Tshawytscha*. *Fishery Bulletin* 77(3):653-668.
- Healey, M.C. 1982. Juvenile Pacific salmon in estuaries: The life support system, pages 315-341 in *Estuarine Comparisons*, V.S. Kennedy, editor, Academic Press, New York, NY.
- Herbold, B., A.D. Jassby, and P.B. Moyle. 1992. Status and trends report of aquatic resources in the San Francisco estuary. San Francisco Estuary Project, USEPA, Oakland, CA.
- Herrmann, R.B. 1970. Food of juvenile Chinook and chum salmon in the Lower Chehalis River and Upper Grays Harbor, pp. 59-82 in *Grays Harbor Cooperative Water Quality Study 1964-1966*. Washington Department of Fisheries, Technical Report 7.

- Horn, M.H., P.A. Cole, and W. E. Loeffler. 1996. Prey resource base of the tern and skimmer colonies at the Bolsa Chica Ecological Reserve, Orange County, and the Western Salt Works, south San Diego Bay. U.S. Fish and Wildlife Service unpublished report (Final report on Grant# 14-48-001-95586), Carlsbad, CA, 54 pages.
- Horn, M.H. and W.M. Dahdul. 1998. Prey resource base of the tern and skimmer colony at the Western Salt Works, south San Diego Bay, during the 1997 breeding season. U.S. Fish and Wildlife Service unpublished report (Final report on Grant# 3 14-48-0001-95586), Carlsbad, CA, 27 pages.
- Horn, M.H. and W.M. Dahdul. 1999. Prey resource base of the tern and skimmer colony at the Western Salt Works, south San Diego Bay, during the 1998 breeding season. U.S. Fish and Wildlife Service unpublished report (Final report on Grant# 14-48-0001-95586), Carlsbad, CA, 36 pages.
- Huppert, D.D., D.L. Fluharty, E.E. Doyle, and A. Benyounes. 1996. Economics of Snake River salmon recovery: A report to the National Marine Fisheries Service, Seattle, WA.
- Interagency Ecological Program Steelhead Project Work Team. 1999. Interagency Ecological Program Steelhead Project Work Team. 1999. Monitoring, Assessment, and Research on Central Valley Steelhead: Status of Knowledge, Review Existing Programs, and Assessment Needs. In Comprehensive Assessment, and Research Program Plan, Tech. App. VII. www.iep.water.ca.gov
- Independent Economic Analysis Board. 2002. Artificial production review – economics analysis, phase I. Independent Economic Analysis Board Task 56. July 9, 2002.
- Issacs, F.B. and R.G. Anthony. 2003. Bald eagle nest locations and history of use in Oregon and Washington portion of the Columbia River Recovery Zone, 1971 through 2003. Oregon Cooperative Fish and Wildlife Research Unit, Oregon State University, Corvallis, OR, 36 pages.
- Johnson, S.W., J.F. Thedinga, and K. V. Koski. 1992. Life history of juvenile ocean-type Chinook salmon (*Oncorhynchus tshawytscha*) in the Situk River, Alaska. Canadian Journal of Fisheries and Aquatic Science 49: 2621-2629.
- Johnson, O.W., W.S. Grant, R.G. Cope, K. Neely, F.W. Waknitz, and R.S. Waples. 1997. Status review of chum salmon from Washington, Oregon, and California. U.S. Department of Commerce, National Marine Fisheries Service, Northwest Fisheries Science Center, NOAA Technical Memorandum NMFS-NWFSC-32, 280 pages.
- Kask, B.A., and R.R. Parker. 1972. Observations on juvenile Chinook salmon in the Somass River estuary, Port Alberni, B.C. Fisheries Research Board of Canada, Technical Report No. 308, Nanaimo, B.C., 15 pages.
- Kareiva, P., M. Marvier, and M. McClure. 2000. Recovery and management options for spring/summer Chinook salmon in the Columbia River Basin. Science 290: 977-979.
- Kjelson, M.A., P.F. Raquel, and F.W. Fisher. 1982. Life history of fall-run juvenile Chinook salmon, *Oncorhynchus tshawytscha*, in the Sacramento-San Joaquin Estuary, California, pages 393-411 in Estuarine Comparisons, V.S. Kennedy, editor, Academic Press, New York, NY.
- Klumph, R. 2003. Letter to Nanette Seto, USFWS regarding comments to *Caspian Tern Site Feasibility Study*, Oregon Department of Fish and Wildlife, Office of Director, Portland, OR.
- Kress, S.W. 1983. The use of decoys, sound recordings, and gull control for re-establishing a tern colony in Maine. Colonial Waterbirds 6: 185-196.

- Lemberg, N.A., M.F. O'toole, D.E. Penttila, and K.C. Stick. 1997. 1996 forage fish stock status report. Wash. Dep. Fish. Wildl. Fish Manag. Program. Stock status Report Number 98-1.
- Levings, C.D. 1982. Short-term use of a low tide refuge in a sandflat by juvenile Chinook, (*Oncorhynchus tshawytscha*), Fraser River Estuary. Canadian Technical Report of Fisheries and Aquatic Sciences No. 1111. Department of Fisheries and Oceans, Fisheries Research Branch, West Vancouver, British Columbia.
- Levings, C.D., C.D. McAllister, and B.D. Chang. 1986. Differential use of the Campbell River estuary, British Columbia, by wild and hatchery-reared juvenile Chinook salmon (*Oncorhynchus tshawytscha*). Canadian Journal of Fisheries and Aquatic Sciences 43 (7):1386-1397.
- Levy, D.A., T.G. Northcote, and G.J. Birch. 1979. Juvenile salmon utilization of tidal channels in the Fraser River Estuary. Technical Report No. 23. Westwater Research Centre, University of British Columbia, Vancouver, B.C., 70 pages.
- Levy, D.A., and T.G. Northcote. 1982. Juvenile salmon residency in a marsh area of the Fraser River estuary. Canadian Journal of Fisheries and Aquatic Sciences 39 (2):270-276.
- Marlowe, C., B. Freymond, R.W. Rogers, and G. Volkhardt. 2001. Dungeness River Chinook salmon rebuilding project, Progress Report 1993-1998. Washington Department of Fish and Wildlife, Fish Program Science Division, Report #FPA 00-24, 96 pages.
- MacDonald, J.S., I.K. Birtwell, and G.M. Kruzynski. 1986. Food and habitat utilization by juvenile salmonids in the Campbell River Estuary. Canadian Journal of Fisheries and Aquatic Sciences 45:1366-1377.
- McClure. M.M, E.E. Holmes, B.L. Sanderson, and C.E. Jordan. 2003. A large-scale, multispecies status assessment: Anadromous salmonids in the Columbia River Basin. Ecological Applications 13(4):964-989.
- McEwan D., and T.A. Jackson. 1996. Steelhead Restoration and Management Plan for California. California Department of Fish and Game, 234 pages.
- Morey, S.C. 2004. Letter to Nanette Seto, U.S. Fish and Wildlife Service regarding comments to Administrative Review copy of Draft Environmental Impact Statement (EIS) for Caspian Tern Management to Reduce Predation of Juvenile Salmonids in the Columbia River Estuary, Department of Fish and Game, Sacramento, CA.
- Moyle P.B., J.E. Williams, and E.D. Wikramanayake. 1989. Fish species of special concern in California. Final Report submitted to State of California Resources Agency.
- Myers, J.M., R.G. Kope, G.J. Bryant, D. Teel, L.J. Lierheimer, T.C. Wainwright, W.S. Grant, F.W. Waknitz, K. Neeley, S.T. Lindley, and R.S. Waples. 1998. Status review of Chinook salmon from Washington, Idaho, Oregon, and California. NOAA Technical Memorandum NMFS-NWFSC-35, Seattle, WA, 443 pages.
- NOAA Fisheries [National Marine Fisheries Service]. 1999. Biological Opinion on Corps of Engineers' Columbia River Channel Operation and Maintenance Program. U.S. Department of Commerce, NOAA, National Marine Fisheries Service, Northwest Region, Seattle, WA, 29 pages.
- NOAA Fisheries [National Marine Fisheries Service]. 2000. Biological Opinion: Federal Reinitiation of Consultation on Operation of the Federal Columbia River Power System, Including the Juvenile Fish Transportation Program, and 19 Bureau of Reclamation Projects in the Columbia Basin. National Marine Fisheries Service, Northwest Region, Portland, OR.

- NOAA Fisheries. 2002. Caspian tern predation on salmon and steelhead smolts in the Columbia River estuary. NOAA Fisheries. Portland, OR, 14 pages.
- NOAA Fisheries. 2003a. Report to Congress: Pacific Coastal Salmon Recovery Fund, FY 2000 through FY 2002. U.S. Department of Commerce, NOAA, National Marine Fisheries Service, Northwest Region, Seattle, WA, 43 pages.
- NOAA Fisheries [National Marine Fisheries Service]. 2003b. Endangered Species Act Section 7 Formal Consultation and Magnuson-Stevens Fishery Conservation and Management Act Essential Fish Habitat for the Hood Canal Bridge Retrofit and East Half Replacement Project (WRIAs 15, 17 and 18)(2002-00546). National Marine Fisheries Service, Northwest Region, Seattle, WA.
- NOAA Fisheries [National Marine Fisheries Service]. 2003c. NOAA Fisheries, National Marine Fisheries Service, Northwest Regional Office website, www.nwr.noaa.gov.
- NOAA Fisheries [Northwest Fisheries Science Center, NMFS/NOAA]. 2004. Caspian tern predation on juvenile salmonid out migrants in the Columbia River estuary. Northwest Fisheries Science Center, NMFS/NOAA, Seattle, WA, 31 pages.
- The Oregon Plan for Salmon & Watersheds. 2004. The Oregon plan for salmon and watersheds. Governor's Natural Resources Office. Salem, Oregon. Internet: www.oregon-plan.org
- Pacific Fishery Management Council. 1998a. Final environmental assessment/regulatory impact review for Amendment 11 to the Pacific Coast Groundfish Fishery Management Plan (NOAA Award Number NA87FC0008). Pacific Fishery Management Council, Portland, OR, 53 pages.
- Pacific Fishery Management Council. 1998b. Coastal Pelagic Species Fishery Management Plan: Amendment 8 to the Northern Anchovy Fishery Management Plan (NOAA Award Number NA87FC0008). Pacific Fishery Management Council, Portland, OR.
- Puget Sound Water Quality Action Team. 2002. Puget Sound Update 2002: Eighth Report of the Puget Sound Ambient Monitoring Program. Puget Sound Water Quality Action Team, Olympia WA , 144 pages.
- Pearce, T. A., J. H. Meyer, and R. S. Boomer. 1982. Distribution and food habits of juvenile salmon in the Nisqually Estuary, Washington, 1979-1980. U.S. Fish Wildl. Serv., Fish. Assist. Off., Olympia, WA, 77 p. (Available from U.S. Fish and Wildlife Service, Western Washington Fishery Resource Office, 2625 Parkmount Lane, Bldg. A, Olympia, WA 98502-5751.)
- Penland, S.T. 1976. The natural history and current status of the Caspian tern (*Hydroprogne caspia*) in Washington State. Masters thesis, University of Puget Sound, WA, 101 pages.
- Quigley, T.M., and S.J. Arbelbide. Editors. 1997. An assessment of ecosystem components in the interior Columbia basin and portions of the Klamath and Great Basins: Volume I. Portland, OR: US Department of Agriculture, Forest Service. General Technical Report. PNW-GTR-405.
- Roby, D.D., D.P. Craig, K. Collis, and S.L. Adamany. 1998. Avian predation on juvenile salmonids in the Lower Columbia River, 1997 Annual Report. Prepared for Bonneville Power Administration and U.S. Army Corps of Engineers, 63 pages.
- Roby, D.D., K. Collis, D.E. Lyons, D.P. Craig, J.Y. Adkins, A.M. Myers, and R.M. Suryan. 2002. Effects of colony relocation on diet and productivity of Caspian terns. *Journal of Wildlife Management* 66(3): 662-673.

- Roby, D.D., K. Collis, S.K. Nelson, K. Larsen, C. Couch, and P.J. Klavon. 2003a. Caspian tern nesting ecology and diet in San Francisco Bay and Interior Oregon, Final 2003 Annual Report. U.S. Fish and Wildlife Service unpublished report, Portland, OR, 50 pages.
- Roby, D.D., D.E. Lyons, D.P. Craig, K. Collis, and G. H. Visser. 2003b. Quantifying the effect of predators on endangered species using a bioenergetics approach: Caspian terns and juvenile salmonids in the Columbia River estuary. *Canadian Journal of Zoology* 81(2): 250-265.
- Ryan B.A., S.G. Smith, J.M. Butzerin, and J.W. Ferguson. 2003. Relative vulnerability to avian predation of juvenile salmonids tagged with passive integrated transponders in the Columbia River estuary, 1998-2000. *Transactions of the American Fisheries Society* 132: 275-288.
- Schwarzbach, S. and T. Adelsbach. *In review*. Assessment of ecological and human health impacts of mercury in the Bay-Delta Watershed. Draft Final Report to Department of Fish and Game, Moss Landing Marine Labs, Moss Landing, CA, 30 pages.
- Seto, N., J. Dillon, W.D. Shuford, and T. Zimmerman. 2003. A review of Caspian tern (*Sterna caspia*) nesting habitat: A feasibility assessment of management opportunities in the U.S. Fish and Wildlife Service Pacific Region. U.S. Department of Interior, Fish and Wildlife Service, Portland, OR.
- Seubert, J.L. 1990. Reducing gull hazards to aviation by controlling nesting populations. Denver Wildlife Research Center, Denver, CO, 30 pages.
- Shreffler, D.K., C.A. Simenstad, and R.M. Thom. 1992. Temporary Residence by Juvenile Salmon in a Restored Estuarine Wetland. *Canadian Journal of Fisheries and Aquatic Sciences* 47:2079-2084.
- Shuford, W.D. and D.P. Craig. 2002. Status assessment and conservation recommendations for the Caspian tern (*Sterna caspia*) in North America. U.S. Department of Interior, Fish and Wildlife Service, Portland, OR, 152 pages.
- Sibert, J. 1975. Residence of Juvenile Salmonids in the Nanaimo River Estuary. Environment Canada, Fisheries and Marine Service. Technical Report No. 537, 23 pages.
- Smith, G.C. and N. Carlile. 1993. Methods for population control within a silver gull colony. *Wildlife Research* 20: 219-226.
- Sommer, T.R., M.L. Nobriga, W.C. Harrell, W. Batham, and W.J. Kimmerer. 2001. Floodplain rearing of juvenile Chinook salmon: Evidence of enhanced growth and survival. *Canadian Journal of Fisheries and Aquatic Sciences* 58(2): 325-333.
- Spendelow, J.A. and S.R. Patton. 1988. National atlas of coastal waterbird colonies in the contiguous United States: 1976-82 [Biological Report 88(5)]. Prepared for U.S. Department of Interior, Fish and Wildlife Service, Washington, D.C.
- St. Louis, Marty. 1993. Summer Lake Wildlife Area, Long Range Management Plan. Oregon Department of Fish and Wildlife, Portland, OR, 34 pages.
- Stober, Q.J., S.J. Walden, and D.T. Griggs. 1971. Juvenile Salmonid Migration Through North Skagit Bay, pages 35-69, *In Biological Studies of Kiket Island Nuclear Power Site*, Q.J. Stober and E.O. Salo, editors. Second Annual Report by Fisheries Research Institute, University of Washington, Seattle, WA.
- Strong, C., L. Spear, T. Ryan, and R. Dakin. 2003. Forster's and Caspian tern colonies in the San Francisco Bay: Population sizes and trends, 1982 - 2003. Prepared for U.S. Department of Interior, Fish and Wildlife Service, Portland, OR, 18 pages.

- Suryan, R.M., D.P. Craig, D.D. Roby, N.D. Chelgren, K. Collis, W.D. Shuford, and D.E. Lyons. *In review*. Redistribution and growth of the Caspian tern population in the Pacific Coast region of North America, 1981-2000. Submitted to The Condor.
- Tabor, J.E. 1976. Inventory of riparian habitats and associated wildlife along the Columbia River. Presented to U.S. Army Corps of Engineers, Wildlife Work Group, OR.
- Thompson, B.C., J.A. Jackson, J. Burger, L.A. Hill, E.M. Kirsch, and J.L. Atwood. 1997. Least Tern (*Sterna antillarum*). In The Birds of North America, No. 290 (A. Poole and F. Gill eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- Thompson, C.W., E.R. Donelan, M.M. Lance, and A.E. Edwards. 2002. Diet of Caspian terns in Commencement Bay, Washington. *Waterbirds* 25(1): 78-85.
- Tynan, T. 1997. Life history characterization of summer chum salmon populations in the Hood Canal and Eastern Strait of Juan de Fuca Regions. Technical Report #H97-06, Washington Department of Fish and Wildlife.
- U.S. Army Corps of Engineers. 1988. Fern Ridge Lake, Plan of Management and Development in Upper Willamette Valley Projects, Master Plan for Resource Use. U.S. Army Corps of Engineers, Portland District, Portland, OR.
- U.S. Army Corps of Engineers. 1999. Caspian tern relocation pilot study Lower Columbia River Clatsop County, Oregon. Finding of No Significant Impact and Environmental Assessment, U.S. Army Corps of Engineers, Portland District, Portland, OR, 34 pages.
- U.S. Army Corps of Engineers. 2000. Caspian tern relocation FY 2000 management plan and pile dike modification to discourage cormorant use, Lower Columbia River, Oregon and Washington. Finding of No Significant Impact and Environmental Assessment, U.S. Army Corps of Engineers, Portland District, Portland, OR, 59 pages.
- U.S. Army Corps of Engineers. 2001. Columbia River Channel Improvements Project, Biological Assessment. U.S. Army Corps of Engineers, Portland District, Portland, OR.
- U.S. Army Corps of Engineers. 2002. Caspian tern interim management plan FY 2003-2004 and pile dike modification to discourage Cormorant use, Lower Columbia River, Oregon. Finding of No Significant Impact and Environmental Assessment, U.S. Army Corps of Engineers, Portland District, Portland, OR, 46 pages.
- U.S. Bureau of Reclamation, U.S. Army Corps of Engineers, and Bonneville Power Administration. 2003. Endangered Species Act 2003 Check-In Report for the Federal Columbia River Power System.
- U.S. Fish and Wildlife Service. 1995. Sacramento-San Joaquin Delta Native Fishes Recovery Plan. U.S. Fish and Wildlife Service, Portland, Oregon.
- U.S. Fish and Wildlife Service. 1996. Management of public use for Dungeness National Wildlife Refuge. Finding of No Significant Impact and Environmental Assessment. U.S. Fish and Wildlife Service, Olympia, WA.
- U.S. Fish and Wildlife Service. 2002a. Biological Conference Opinions for the Columbia River Channel Improvements Project. U.S. Department of the Interior, Fish and Wildlife Service, Portland, OR.
- U.S. Fish and Wildlife Service. 2002b. Birds of conservation concern 2002. Division of Migratory Bird Management, Arlington, VA, 99 pages.

- U.S. General Accounting Office. 2002. Columbia River salmon and steelhead. Federal agencies recovery responsibilities, expenditures, and actions. GAO-02-612.
- Vogel, D.A. and K.R., Marine. 1991. Guide to the Upper Sacramento River Chinook salmon life history. Prepared for the U.S. Bureau of Reclamation, Central Valley Project. 55p. With references.
- Wachtel, M. 2000. Dolly varden/bull trout reported catch by northern pikeminnow sport-reward fishery project. State of Washington, Department of Fish and Wildlife, Fish Management Program, Native Resident Fish Division. Memo from Mark Wachtel, Fish and Wildlife Biologist to Jim Byrne, Fish and Wildlife Biologist. Dated March 10, 2000.
- Wallace M., and B.W. Collins. 1997. Variation in the use of the Klamath River estuary by juvenile chinook salmon. *California Fish and Game* 83(4): 132-143.
- Waples, R.S., R.P. Jones, Jr., B.R. Beckman, and G.A. Swan. 1991. Status review for Snake River fall Chinook salmon. U.S. Department of Commerce, National Marine Fisheries Service, Northwest Fisheries Science Center, NOAA Technical Memorandum NMFS F/NWC-201, 73 pages.
- Weitkamp, L.A., T.C. Wainwright, G.W. Bryant, G.B. Milner, D.J. Teel, R.G. Kope, and R.S. Waples. 1995. Status Review of Coho Salmon from Washington, Oregon, and California. National Marine Fisheries Service, Northwest Fisheries Science Center. NOAA Technical Memorandum NMFS-NWFSC-24.
- Wilson, P.H. 2003. Using population projection matrices to evaluate recovery strategies for Snake River spring and summer Chinook salmon. *Conservation Biology* 17 (3):782-794.
- Wires, L. R. and F.J. Cuthbert. 2000. Trends in Caspian tern numbers and distribution in North America: A review. *Waterbirds* 23(3): 388-404.

B.2 Federal Register Notices

- 68 FR 16826. Notice of Intent to prepare an Environmental Impact Statement for Caspian tern management in the Columbia River estuary and notification of six public scoping meetings, April 7, 2003.
- 58 FR 53800. Endangered and Threatened Wildlife and Plants: Determination of endangered status for the Oregon chub, October 18, 1993.
- 68 FR 4433. Endangered and Threatened Wildlife and Plants; 12 month finding on a petition to list North American green sturgeon as a threatened or endangered species, January 29, 2003.

